
	发放部门: 研发部	创建日期:	2022/2/17
	产品说明书	创建人:	刘翻霞
TE01A-015		版本:	A

TE01A-015




Electric Screw Window Opener , also known as screw window opener ,screw machine.The inner tube is made of high strength stainless steel.The shell is made of aluminum alloy with strong thrust and the built-in electronic overload protection circuit ensures stable operation.The product is widely applied to the opening of jalousie 、 top-hung windows 、 hopper windows 、 sloping roof skylights etc and mostly used on fire exhaust windows and heavy skylights.

	发放部门: 研发部	创建日期:	2022/2/17
	产品说明书	创建人:	刘翻霞
TE01A-015		版本:	A

标准描述 Standard Features:

工作电压 Input voltage	24VDC
最大推力 Max push force	800N
最大拉力 Max pull force	800N
最大空载速度 Max speed (no load)	9mm/s
最小安装尺寸 Min built in length	595 ± 2mm
防护等级 IP-class	IP65
控制方式 Feedback & switches	微动开关 Limit switch
工作温度 Operating temperature	-5° to +40°C
外壳 Housing	6063-T5/银色 silver
安装孔/轴 Mounting hole/pin	直径 diameter 10/6.5mm
圆管/支架 Piston	铝合金 Aluminum/银色 silver
工作制 Duty cycle	最长连续工作 2 分钟后休息 18 分钟 max 2 min at continuous use followed by an 18 min rest

	发放部门: 研发部	创建日期:	2022/2/17
	产品说明书	创建人:	刘翻霞
TE01A-015		版本:	A

尺寸图 Dimension (单位 Unit: mm)

